

Save Fixtures.
Save Energy.
Save Time.
Save Money.



HYLITE™
LED Lighting

A Complete Range of Ultra Energy-Efficient LED Lamps, Fixtures and Retrofits for Commercial, Industrial and Municipal Applications



Truly Sustainable, Energy-Saving
Solutions for Existing Fixtures.

Retrofit Incandescent, CFL and HID
Lamps from 10W to 1000W

98%
RECYCLABLE



NO

LEAD, MERCURY, TOXIC GASES
OR HEAVY METALS



SAVE UP TO

90%

ON YOUR
ENERGY COSTS




*Versatile and Fully Adjustable - Use in Multiple Positions,
Different Heights, Lengths and Various Angles
for Directional Lighting*



Multiple Adjustable Lengths
to Suit Tight Spaces



180° Adjustable Angle
for Directional Lighting



Orient in any Position for
Maximum Luminance



Suitable for

Damp Locations Enclosed Fixtures



One Lamp, Countless Applications

- Use as a Stand-alone Fixture or as a Retrofit

- High Ceiling
- Theater Lighting
- Track Lighting
- Spot Lighting
- PAR 56 / 64 Cans
- Post Top Lamps
- Down Lights
- Accent Lighting
- Pendant Lighting
- Parking Garages
- Stage Lighting
- Studio Lighting
- Street Lights
- Parking Lot
- High Bays
- Flood Lights
- Low Bays
- Recessed Cans
- Wall Packs
- Canopy Lights
- and Many Many More...

- Suitable for fully Enclosed Fixtures
- High Efficacy - 140 Lumens per Watt
- Patented Passive Cooling Design
- IP65 Rated. Waterproof Connectors - Ideal for use as Temporary Lighting
- Zero Maintenance Costs



HyLite High Performance LED Lotus Lamps

HyLite Lotus Lamp	Equivalent to / Energy Savings (%)*		
	Incandescent	HPS, MH & HID	CFL
20W	150W (87%)	100W (80%)	55W (64%)
30W	225W (87%)	150W (80%)	80W (63%)
40W	350W (89%)	200W (80%)	125W (68%)
60W	450W (87%)	250W (76%)	175W (66%)
80W	600W (87%)	320W (75%)	225W (64%)
100W	800W (88%)	400W (75%)	300W (67%)



LED OMNI-COB™



HyLite High Performance LED Omni-Cob Lamps

HyLite Omni-Cob	Equivalent to / Energy Savings (%)*		
	Incandescent	HPS, MH & HID	CFL
10W	75W (87%)	50W (80%)	30W (67%)
14W	100W (86%)	60W (77%)	42W (67%)
18W	125W (86%)	75W (76%)	45W (60%)
22W	150W (85%)	100W (78%)	55W (60%)
27W	225W (88%)	150W (82%)	80W (66%)
36W	275W (87%)	175W (79%)	100W (64%)
54W	450W (88%)	250W (78%)	175W (69%)
100W	800W (88%)	400W (75%)	300W (67%)
150W	1500W (90%)	750W (80%)	500W (70%)
200W	2000W (90%)	1000W (80%)	650W (70%)



Suitable for
Damp Locations Enclosed Fixtures

FREE!
20kA
In-line Surge Protection
Device Included.
Additional Protection
for your HyLite
LED Omni & Arc Bulb
at no Cost!

LED ARC-COB™



HyLite High Performance LED Arc-Cob Lamps

HyLite Arc-Cob	Equivalent to / Energy Savings (%)*		
	Incandescent	HPS, MH & HID	CFL
20W	150W (87%)	100W (80%)	55W (64%)
30W	225W (87%)	150W (80%)	80W (63%)
40W	320W (88%)	250W (84%)	150W (73%)
100W	800W (88%)	400W (75%)	300W (67%)



HyLite High Performance LED Lamps

HyLite Intigo	Equivalent to / Energy Savings (%)*		
	Incandescent	HPS / MH / HID	CFL
14W	125W (89%)	70W (80%)	45W (69%)
20W	150W (87%)	100W (80%)	55W (64%)
40W	275W (85%)	175W (77%)	100W (60%)
55W	450W (88%)	250W (78%)	175W (69%)



- Waterproof
- Shatterproof
- Corrosion-proof
- Impact-resistant
- Shock-proof
- Vandal-proof

Unmatched Lighting Performance
IP 67 Rated. Suitable for Wet Locations!
185°F (85°C) Fire Resistance. IK10 Impact Resistance.



HyLite High Performance LED Tri-Proof, Vapor-Tight Linear Light

HyLite LED XPL Light	Equivalent to / Energy Savings (%)*		
	Incandescent	HPS / MH	CFL
2 ft., 30W	180W (83%)	100W (70%)	64W (53%)
4 ft., 70W	450W (84%)	250W (72%)	160W (56%)



HyLite High Performance LED T8 Tube Lights

Energy 72%	High Efficacy 150 lpw	>50000 Hours	CRI (Ra) >82	Angle 300°
THD <10%	Multiple CCT	Minimum Heat	PF >0.99	100-277V

HyLite LED Tube Light	Equivalent to / Energy Savings (%)*	
	Incandescent	Fluorescent
2 ft. (60cm), 9W	70W (87%)	30W (70%)
4 ft. (120cm), 15W	120W (89%)	48W (69%)
4 ft. (120cm), 18W	160W (89%)	60W (70%)
8 ft. (240cm), 36W	300W (88%)	108W (67%)



NO
LEAD, MERCURY,
HEAVY METALS
OR TOXIC GASES



HyLite High Performance LED Plug-in Lamps & Omni-Bulbs

LED
PLUG-IN LAMP™



LED
OMNI-BULB™

98%
RECYCLABLE



NO

LEAD, MERCURY,
HEAVY METALS
OR TOXIC GASES

HyLite Lamp	Equivalent to / Energy Savings (%)	
	Incandescent	CFL
PL, 5W	40W (88%)	13W (62%)
PL, 8W	60W (87%)	18W/26W (56-69%)
PL, 10W	100W (90%)	18W/26W/32W (44-62-69%)
PL, 12W	120W (90%)	32W/42W (63-72%)
VL, 10W	100W (90%)	18W/26W/32W (44-62-69%)
VL, 12W	120W (90%)	32W/42W (63-72%)
OB, 8W	75W (89%)	18W/26W (56-69%)
OB, 10W	100W (90%)	18W/26W/32W (44-62-69%)
OB, 12W	120W (90%)	32W/42W (63-72%)



HyLite High Performance LED Bulbs



Suitable for

Damp Locations Enclosed Fixtures



HyLite Bulb	Equivalent to / Energy Savings (%) Incandescent
GU24, 9W	60W (85%)
A19, 10W	60W (83%)
A21, 17W	100W (83%)
BR30, 8W	65W (88%)
PAR20, 8W	50W (84%)
PAR30, 12W	75W (84%)
PAR38, 15W	100W (85%)



A21, 17W
Not Suitable for
Enclosed Fixtures



HYLITE™

LED Lighting

803.336.2230

HyLiteLEDLighting.com


Proprietary Technology Reduces:

- Energy Costs
- Re-Lamping and Lamp Disposal Issues
- Ballast Replacement Costs
- Pollution: No Mercury, Lead or Toxic Gases Contamination



About HyLite:

- HyLite is a family-owned, DBE/MBE Enterprise that manufactures a variety of cutting edge, Energy-efficient LED Lamps, Fixtures, and Retrofit Kits for both Indoor and Outdoor applications.
- HyLite operates out of a 51,000 square foot facility in Rock Hill, SC.
- HyLite prides itself on offering cost-effective Lighting products that use Innovative Technology to help reduce Energy anywhere from 65% and up to 90% (based on the current Lamp/Fixtures) and significantly reduce Maintenance Costs.
- All HyLite products are based on principles of Resource-reduction & Sustainability, and use Proprietary Technology that exceeds the Safety, Reliability, and Efficiency Standards.
- HyLite Lighting is truly long-lasting - up to 60,000 hours, without replacing Bulbs or Lamps. This translates to a maintenance-free Lamp life of 17 years at an "on time" of 12 hours a day.
- Not only are HyLite Lights Economical and Efficient, they are also Eco-friendly. They greatly help reduce Carbon Footprint and contribute favorably to LEED points.
- HyLite Lighting is Engineered to be Efficiently and Durably built by using materials and processes that are kind to our Environment. It is through these notions that HyLite chooses to create a sense of awareness of Environmentally-friendly alternatives within our community while manufacturing and distributing world-class Eco-friendly Lighting products.
- Whether you are looking to reduce your Energy and Maintenance Costs or Offset your Carbon Footprint, HyLite Lighting products are designed to provide Reliable, Economical, and Sustainable options for your Lighting needs.



* Now Available in 347V & 480V too!

